

Sec. 13-600 Flood Hazard Area Regulations.

Sec. 13-601 Establishment.

The City of Caribou, Maine elects to comply with the requirements of the National Flood Insurance Act of 1968 (P.L. 90-488, as amended). The National Flood Insurance Program, established in the aforesaid Act, provides that areas of the Town having a special flood hazard be identified by the Federal Emergency Management Agency (FEMA) and the floodplain management measures be applied in such flood hazard areas. This Ordinance establishes a Flood Hazard Development Permit system and review procedure for development activities in the designated flood hazard areas of the City of Caribou, Maine.

The areas of special flood hazard, Zones A and A1-30, identified by FEMA in a report entitled "Flood Insurance Study-City of Caribou, Maine, Aroostook County, "dated February, 1980 with accompanying "Flood Insurance Rate Map" and "Flood Boundary and Floodway Map" dated August 1, 1980 is hereby adopted by reference and declared to be a part of this Ordinance.

Sec. 13-602 Permit Required.

Before any construction or other development (as defined in 13-614), including the placement of manufactured homes, begins within any areas of special flood hazard established in 13-602, a Flood Hazard Development Permit shall be obtained from the Code Enforcement Officer. This permit shall be in addition to any other permits which may be required pursuant to the codes and ordinances of the City of Caribou, Maine.

Sec. 13-603 Application for Permit

The application for a Flood Hazard Development Permit shall be submitted to the Code Enforcement Officer and shall include:

- A. The name and address of the applicant;
- B. An address and a map indicating the location of the construction site;
- C. A site plan showing location of existing and/or proposed structures, sewage disposal facilities, water supply facilities, areas to be cut and filled, and lot dimension;
- D. A statement of the intended use of the structure;
- E. A statement as to the type of sewage system proposed;
- F. Specification of dimensions of the proposed structure;
- G. The elevation in relation to the National Geodetic Vertical Datum (NGVD) or to a locally established datum in Zone A only, of the:
 1. base flood at the proposed site of all new or substantially improved structures, which is determined:
 - a: in Zones A1-30 from data contained in the "Flood Insurance Study-City of Caribou, Maine," as described in 13-602; or,
 - B: in Zone A, to be the elevation of the ground at the intersection of the floodplain boundary and a line perpendicular to the shoreline which passes along the ground through a site of the proposed building;
 2. highest and lowest grades at the site adjacent to the walls of the proposed building;
 3. lowest floor, including basement; and whether or not such structures contain a basement; and,
 4. level, in the case of non-residential structures only, to which the structure will be floodproofed;
- H. A description of a base flood elevation reference point established on the site of all new or substantially improved structures;
- I. A written certification by a registered land surveyor that the elevations shown on the application are accurate;

- J. Certification by a registered professional engineer or architect that floodproofing methods for any non-residential structures will meet the floodproofing criteria of 13-604. G.4;13-607. G; and other applicable standards in 13-607.
- K. A description of the extent to which any water course will be altered or relocated as a result of the proposed development; and,
- L. A statement of construction plans describing in detail how each applicable development standard in 13-607 will be met.

Sec. 13-604 Application Fee and Expert's Fee.

A non-refundable application fee of \$10.00 shall be paid to the City Clerk and a copy of a receipt for the same shall accompany the application.

An additional fee may be charged if the Code Enforcement Officer and/or the Board of Appeals needs the assistance of a professional engineer or other experts. The expert's fee shall be paid in full by the applicant within 10 days after the town submits a bill to the applicant. Failure to pay the bill shall constitute a violation of the ordinance and be grounds for the issuance of a stop work order. An expert shall not be hired by the municipality at the expense of an applicant until the applicant has either consented to such hiring in writing or been given an opportunity to be heard on the subject. An applicant who is dissatisfied with a decision of the Code Enforcement Officer may appeal that decision to the Board of Appeals.

Sec. 13-605 Review of Flood Hazard Development Permit Applications.

The Code Enforcement Officer shall:

- A. Review all applications for the Flood Hazard Development Permit to assure that proposed building sites are reasonably safe from flooding and to determine that all pertinent requirements of 13-607 (Development Standards) have, or will be met;
- B. Utilize, in the review of all Flood Hazard Development Permit applications, the base flood data contained in the "Flood Insurance Study-City of Caribou, Maine," as described in 13-602. In special flood hazard areas where base flood elevation data are not provided, the Code Enforcement Officer shall obtain, review and reasonably utilize any base flood elevation and floodway data from federal, state, or other sources, including information obtained pursuant to 13-604. G1b; 13-607. J; and 13-609. D, in order to administer 13-607 of this Ordinance;
- C. Make interpretations of the location of boundaries of special flood hazard areas shown on the maps described in 13-602 of this Ordinance;
- D. In the review of Flood Hazard Development Permit applications, determine that all necessary permits have been obtained from those federal, state, and local government agencies from which prior approval is required by federal and state law, including but not limited to Section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334;
- E. Notify adjacent municipalities, the Department of Environmental Protection, and the Floodplain Management Program in the State Planning Office prior to any alteration or relocation of a water course;
- F. Issue a two part Flood Hazard Development Permit for elevated structures. Part I shall authorize the applicant to build a structure to and including the first horizontal floor only above the base flood level. At that time the applicant shall provide the Code Enforcement Officer with an application for Part II of the Flood Hazard Development Permit and shall include an Elevation Certificate completed by a registered Maine surveyor for compliance with the elevation requirements of 13-607, paragraphs F, G, and H. Following review of the application, which review shall take place within 72 hours of receipt of the application, the Code Enforcement Officer shall issue Part II of the Flood Hazard Development Permit. Part II shall authorize the applicant to complete the construction project; and,
- G. Maintain, as a permanent record, copies of all Flood Hazard Development Permits issued and data relevant thereto, including reports of the Board of Appeals on variances granted under the provisions of 13-610 of the Ordinance, and copies of Elevation Certificates and Certificates of Compliance required under the provisions of 13-608 of this Ordinance.

Sec. 13-606 Development Standards.

All developments in areas of special flood hazard shall meet the following applicable standards:

- A. New construction or substantial improvement of any structure shall:
 - 1. be designed or modified and adequately anchored to prevent flotation, collapse or lateral movement of the structure resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy;
 - 2. use construction materials that are resistant to flood damage;
 - 3. use construction methods and practices that will minimize flood damage; and,
 - 4. use electrical, heating, ventilation, plumbing, and air conditioning equipment, and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during flooding conditions.
- B. All new and replacement water supply systems shall be designed to minimize or eliminate infiltration of flood waters into the systems.
- C. All new and replacement sanitary sewage systems shall be designed and located to minimize or eliminate infiltration of flood waters into the system and discharges from the system into flood waters.
- D. On-site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during floods.
- E. All development shall be constructed and maintained in such a manner that no reduction occurs in the flood carrying capacity of any watercourse.
- F. New construction or substantial improvement of any residential structure located within:
 - 1. Zones A1-30 shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation.
 - 2. Zone A shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to 13-604. G.1.b., 13-606. B; or 13-609. D.
- G. New construction or substantial improvement of any non-residential structure located within:
 - 1. Zones A1-30 shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation, or together with attendant utility and sanitary facilities shall:
 - a. be floodproofed to at least one foot above the base flood level so that below that elevation the structure is watertight with walls substantially impermeable to passage of water;
 - b. have structural components capable of resisting hydrostatic and hydrodynamic loads and the effects of buoyancy; and,
 - c. be certified by a registered professional engineer or architect that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions of this section. Such certification shall be provided with the application for a Flood Hazard Development Permit, as required by 13-604. J. and shall include a record of the elevation above mean sea level of the lowest floor including basement.
 - 2. Zone A shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to 13-604. G.1.b.; 13-606. B; or 13-609. D.
- H. New or substantially improved manufactured homes located within:
 - 1. Zones A1-30 shall:
 - a. be elevated on a permanent foundation so that the lowest floor is at least one foot above the base flood elevation; and,

- b. be securely anchored to an adequately anchored foundation system to resist flotation, collapse, or lateral movement. Methods of anchoring may include, but are not limited to:
 - (1) over-the-top ties anchored to the ground at the four corners of the manufactured home, plus two additional ties per side at intermediate points (homes less than 50 feet long require one additional tie per side); or by,
 - (2) frame ties at each corner of the home, plus five additional ties along each side at intermediate points (homes less than 50 feet long require four additional ties per side).
 - (3) all components of the anchoring system described in 13-607. H.1 shall be capable of carrying a force of 4800 pounds.
2. Zone A shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to 13-604. G.1.b; 13-606. B.; or 13-609. D.

I. Recreational Vehicles located within:

1. Zones A1-30 shall either:
 - a. Be on the site for fewer than 180 consecutive days,
 - b. Be fully licensed and ready for highway use. A recreational vehicle is ready for highway use if it is on its wheels or jacking system, is attached to the site only by quick disconnect type utilities and security devices, and has no permanently attached additions; or,
 - c. Meet the permit requirements of elevation and anchoring requirements for "manufactured home" in 13-607. H. a&b.

J. Floodways

1. In Zones A1-30 encroachments, including fill, new construction, substantial improvement, substantial improvement, and other development shall not be permitted in riverine areas, for which a regulatory floodway is designated on the community's "Flood Boundary and Floodway Map", unless a technical evaluation certified by a registered professional engineer is provided demonstrating that such encroachments will not result in any increase in flood levels within the community during the occurrence of the base flood discharge.
2. In Zones A1-30, for which no regulatory floodway is designated, encroachments, including fill, new construction, substantial improvement, and other development shall not be permitted unless a technical evaluation certified by a registered professional engineer is provided demonstrating that the cumulative effect of the proposed development, when combined with all other existing development and anticipated development will not increase the water surface elevation of the base flood more than one foot at any point within the community; and,
3. In Zone A riverine areas, in which the regulatory floodway is determined to be the channel of the river or other water course and the adjacent land areas to a distance of one-half the width of the floodplain as measured from the normal high water mark to the upland limit of the floodplain, encroachments, including fill, new construction, substantial improvement, and other development shall not be permitted unless a technical evaluation certified by a registered professional engineer is provided meeting the requirements of 13-607, paragraph J.2.

K. New construction or substantial improvement of any structure in Zones A1-30 and A that meets the development standards of 13-607, including the elevation requirements of 13-607, paragraphs F, G, or H and is elevated on posts, columns, piers, piles, "stilts", or crawlspaces may be enclosed below the elevation requirements provided all the following criteria are met or exceeded:

1. Enclosed areas are not "basements" as defined in 13-614; and,
2. Enclosed areas shall be designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for the entry and exit of floodwater. Designs for meeting this requirement must either:
 - a. be certified by a registered professional engineer or architect; or,
 - b. meet or exceed the following minimum criteria:

- (1) a minimum of two openings having a total net area of not less than one square inch for every square foot of the enclosed area;
 - (2) the bottom of all openings shall be no higher than one foot above the lowest grade; and,
 - (3) openings may be equipped with screens, louvers, valves, or other coverings or devices provided that they permit the entry and exit of flood waters automatically without any external influence or control such as human intervention, including the use of electrical and other non-automatic mechanical means; and,
3. The enclosed area shall not be used for human habitation; and,
 4. The enclosed area may be used for building maintenance, access, parking vehicles, or storing of articles and equipment used for maintenance of the building.

Sec. 13-607 Certificate of Compliance.

No land in a special flood hazard area shall be occupied or used and not structure which is constructed or substantially improved shall be occupied until a Certificate of Compliance is issued by the Code Enforcement Officer subject to the following provisions:

- A. The applicant shall submit an Elevation Certificate completed by:
 1. a registered Maine surveyor for compliance with 13-607, paragraphs F, G, H, or K; and,
 2. a registered professional engineer or architect, in the case of floodproofed non-residential structures, for compliance with 130607. G; and,
- B. The application for a Certificate of Compliance shall be submitted by the applicant in writing along with a completed Elevation Certificate to the Code Enforcement Officer.
- C. The Code Enforcement Officer shall review the application within 10 working days of receipt of the application and shall issue a Certificate of Compliance, provided the building conforms with the provisions of this Ordinance.

Sec. 13-608 Review of Subdivision and Development Proposals.

The Planning Board shall, when reviewing subdivisions and other proposed developments that require review under other federal law, state law or local ordinances or regulations and all projects on 5 or more acres, or in the case of manufactured home parks divided into two or more lots, assure that:

- A. All such proposals are consistent with the need to minimize flood damage.
- B. All public utilities and facilities, such as sewer, gas, electrical and water systems are located and constructed to minimize or eliminate flood damages.
- C. Adequate drainage is provided so as to reduce exposure to flood hazards.
- D. All proposals include base flood elevation and, in a riverine floodplain, floodway data.
- E. Any proposed development plan shall include a statement that the developer will require that structures on lots in the development be constructed in accordance with 13-607 or this ordinance and that such requirements will be included in any deed, lease or document transferring or expressing an intent to transfer any interest in real estate or structure, including but not limited to a time-share interest. That statement shall clearly articulate that the municipality may enforce any violation of the construction requirement and that fact shall also be included in the deed or any other document previously described. The construction requirement shall also be stated on any map, plat or plan to be signed by the Planning Board or local reviewing authority as part of the approval process.

Sec. 13-609 Appeals and Variances.

The Board of Appeals of the City of Caribou, Maine, may, upon written application of an aggrieved party, hear and decide appeals from determinations of the Code Enforcement Officer in the administration of the provisions of this Ordinance. The Board of Appeals may grant a variance from the requirements of this Ordinance consistent with state law and the following criteria:

- A. Variances shall not be granted within any designated regulatory floodway if any increase in flood levels during the base flood discharge would result.
- B. Variances shall be granted only upon:
 - 1. a showing of good and sufficient cause; and,
 - 2. a determination that should a flood comparable to the base flood occur, the granting of a variance will not result in increased flood heights, additional threats to public safety, public expense, or create nuisances, cause fraud or victimization of the public or conflict with existing local laws or ordinances; and,
 - 3. a showing that the existence of the variance will not conflict with other state, federal or local laws or ordinances; and,
 - 4. a determination that failure to grant the variance would result in "undue hardship", which is in this sub-section means:
 - a. that the land in question cannot yield a reasonable return unless a variance is granted; and,
 - b. that the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood; and,
 - c. that the granting of a variance will not alter the essential character or the locality; and,
 - d. that the hardship is not the result of action taken by the applicant or a prior owner.
- C. Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.
- D. Variances may be issued by a community for new construction, substantial improvements, or other development for the conduct of a functionally dependent use provided that:
 - 1. other criteria of 13-910 and 13-607.J. are met; and,
 - 2. the structure or other development is protected by methods that minimize flood damages during the base flood and create no additional threats to public safety.
- E. Variances may be issued by a community for the reconstruction, rehabilitation, or restoration of structures listed on the National Register of Historic Places or a State Inventory of Historic Places, without regard to the procedures set forth in 13-910, paragraphs A through D.
- F. Any applicant who meets the criteria of 13-910, paragraphs A through E shall be notified by the Board of Appeals in writing over the signature of the Chairman of the Board of Appeals that:
 - 1. the issuance of a variance to construct a structure below the base flood level will result in greatly increased premium rates for flood insurance up to amounts as high as \$25 Per \$100 of insurance coverage;
 - 2. such construction below the base flood level increases risks to life and property; and,
 - 3. the applicant agrees in writing that the applicant is fully aware of all the risks inherent in the use of land subject to flooding, assumes those risks and agrees to indemnify and defend the municipality against claims filed against it that are related to the applicant's decision to use land located in a floodplain and that the applicant individually releases the municipality from any claims the applicant may have against the municipality that are related to the use of land located in a floodplain.
- G. The Board of Appeals shall submit to the Code Enforcement Officer a report to all variance actions, including justification for the granting of the variance and an authorization for the Code Enforcement Officer to issue a Flood Hazard Development Permit, which includes any conditions to be attached to said permit.

Sec. 13-610 Enforcement and Penalties.

- A. It shall be the duty of the Code Enforcement Officer to enforce the provisions of this Ordinance pursuant to 30A MRSA § 4452.
- B. The penalties contained in 30A MRSA § 4452 shall apply to any violation of this ordinance.

- C. In addition to any other actions, the Code Enforcement Officer, upon determination that a violation exists, shall submit a declaration to the Administrator of the Federal Insurance Administration requesting a denial of flood insurance. The valid declaration shall consist of;
1. the name of the property owner and address or legal description of the property sufficient to confirm its identity or location;
 2. a clear and unequivocal declaration that the property is in violation of a cited State or local law, or ordinance;
 3. a statement that the public body making the declaration has authority to do so and a citation to that authority;
 4. evidence that the property owner has been provided notice of the violation and the prospective denial of insurance; and,
 5. a clear statement that the declaration is being submitted pursuant to Section 1316 of the National Flood Insurance Act of 1969, as amended.

Sec. 13-611 Validity and Severability.

If any section or provision of this Ordinance is declared by the courts to be invalid, such decision shall not invalidate any other section or provision of this Ordinance.

Sec. 13-612 Conflict with other Ordinances.

This Ordinance shall not in any way impair or remove the necessity of compliance with any other applicable rule, ordinance, regulation, bylaw, permit, or provision of law. Where this Ordinance imposes a greater restriction upon the use of land, buildings, or structures, the provisions of this Ordinance shall control.

Sec. 13-613 Definitions.

Unless specifically defined below, words and phrases used in this Ordinance shall have the same meaning as they have at common law and to give this Ordinance its most reasonable application. Words used in the present tense include the future, the singular number includes the plural, and the plural number includes the singular. The word "may" is permissive; "shall" in mandatory and not discretionary.

Adjacent Grade: Means the natural elevation of the ground surface prior to construction next to the proposed walls of a structure.

Area of Special Flood Hazard: Means the land in the floodplain having a one percent or greater chance of flooding in any given year, as specifically identified in the Flood Insurance Study cited in 13-602 of this Ordinance.

Base Flood: Means the flood having a one percent chance of being equaled or exceeded in any given year, commonly called the 100-year flood.

Basement: Means any area of the building having its floor subgrade (below ground level) on all sides.

Breakaway Wall: Means a wall that is not part of the structural support of the building and is intended through its design and construction to collapse under specific lateral loading forces, without causing damage to the elevated portion of the building or supporting foundation system.

Building: See Structure.

Certificate of Compliance: A document signed by the Code Enforcement Officer stating that a structure is in compliance with all of the provisions of this Ordinance.

Code Enforcement Officer: Any person or board responsible for performing the inspection, licensing, and enforcement duties required by a particular statute or ordinance.

Development: Means any change caused by individuals or entities to improved or unimproved real estate, including but not limited to the construction of buildings or other structures; the construction of additions or substantial improvements to buildings or other structures; mining dredging, filling, grading, paving, excavation, drilling operations or storage of equipment or materials; and the storage, deposition, or extraction of materials, public or private sewage disposal systems or water supply facilities.

Elevated Building: Means a non-basement building:

- (i) built, in the case of a building in Zones A1-30 and A, to have the top of the elevated floor, elevated above the ground level by means of pilings, columns, post, piers, or "stilts", and
- (ii) adequately anchored so as not to impair the structural integrity of the building during a flood of up to one foot above the magnitude of the base flood.

In the case of Zones A1-30 and A, **Elevated Building** also includes a building elevated by means of fill or solid foundation perimeter walls less than three feet in height with openings sufficient to facilitate the unimpeded movement of flood waters.

Elevation Certificate: An official form (FEMA Form 81-31, 05/93, as amended) that:

- (i) is used to verify compliance with the floodplain management regulations of the National Flood Insurance Program; and,
- (ii) is required for purchasing flood insurance.

Flood or Flooding: Means:

- (a) A general and temporary condition of partial or complete inundation of normally dry land areas from:
 - (1) The overflow of inland or tidal waters.
 - (2) The unusual and rapid accumulation or runoff of surface waters from any source.
- (b) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm, or by an unanticipated force of nature, such as flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event which results in flooding as defined in paragraph (a)(1) of this definition.

Flood Elevation Study: Means an examination, evaluation and determination of flood hazards and, if appropriate, corresponding water surface elevations.

Flood Insurance Rate Map (FIRM): Means an official map of a community, on which the Administrator of the Federal Insurance Administration has delineated both the special hazard areas and the risk premium zones applicable to the community.

Flood Insurance Study: See Flood Elevation Study.

Floodplain or Flood-prone Area: Means any land area susceptible to being inundated by water from any source (see flooding).

Floodplain Management: Means the operation of an overall program of corrective and preventive measures for reducing flood damage, including but not limited to emergency preparedness plans, flood control works, and floodplain management regulations.

Floodplain Management Regulations: Means zoning ordinances, subdivision regulations, building codes, health regulations, special purpose ordinances (such as a floodplain Ordinance, grading ordinance, and erosion control ordinance) and other applications of police power. The term describes such state or local regulations, in any combination thereof, which provide standards for the purpose of flood damage prevention and reduction.

Floodproofing: Means any combination of structural and non-structural additions, changes, or adjustments to structures which reduce or eliminate flood damage to real estate or improved real property, water and sanitary facilities, structures and contents.

Floodway: See Regulatory Floodway.

Floodway Encroachment Lines: Means the lines marking the limits of floodways on federal, state and local floodplain maps.

Freeboard: Means a factor of safety usually expressed in feet above a flood level for purposes of floodplain management. Freeboard tends to compensate for the many unknown factors, such as wave action, bridge openings, and the hydrological effect of urbanization of the watershed, that could contribute to flood heights greater than the height calculated for a selected size flood and floodway conditions.

Functionally Dependent Use: Means a use which cannot perform its intended purpose unless it is located or carried out in close proximity to water. The term includes only docking facilities, port facilities that are necessary for the loading and unloading of cargo or passengers, and ship building and ship repair facilities, but does not include long-term storage or related manufacturing facilities.

Historic Structure: Means any structure that is:

- (a). Listed individually in the National Register of Historic Places (a listing maintained by the Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register;
- (b). Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary of the Interior to qualify as a registered historic district;
- (c). Individually listed on a state inventory of historic places in states with historic preservation programs which have been approved by the Secretary of the Interior; or
- (d). Individually listed on a local inventory of historic places in communities with historic preservation programs that have been certified either:
 - 1). By an approved state program as determined by the Secretary of the Interior, or
 - 2). Directly by the Secretary of Interior in states without approved programs.

Locally Established Datum: Means, for purposes of this ordinance, an elevation established for a specific site to which all other elevations at the site are referenced. This elevation is generally not referenced to the National Geodetic Vertical Datum (NGVD) or any other established datum and is used in areas where Mean Sea Level data is too far from a specific site to be practically used.

Lowest Floor: Means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, usable solely for parking of vehicles, building access or storage in an area other than a basement area is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of the applicable non-elevation design requirements described in 13-607 of this ordinance.

Manufactured Home: Means a structure, transportable in one or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when connected to the required utilities. For floodplain management purposes the term manufactured home also includes park trailers, travel trailers, and other similar vehicles placed on a site for greater than 180 consecutive days.

Manufactured Home Park or Subdivision: Means a parcel (or contiguous parcels) of land divided into two or more manufactured home lots for rent or sale.

Mean Sea Level: Means, for the purposes of the National Flood Insurance Program, the National Geodetic Vertical Datum (NGVD) of 1929, or other datum, to which base flood elevations shown on a community's Flood Insurance Rate map are referenced.

New Construction: Means structures for which the "start of construction" commenced on or after the effective date of floodplain management regulations adopted by a community and includes any subsequent improvements to such structures.

100-year flood: See Base Flood.

Recreational Vehicle: Means a vehicle which is:

- (a) built on a single chassis;
- (b) 400 square feet or less when measured at the largest horizontal projection;
- (c) designed to be self-propelled or permanently towable by a light duty truck; and,
- (d) designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Regulatory Floodway:

- (i) means the channel of a river or other water course and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot, and
- (ii) in riverine areas is considered to be the channel of a river or other water course and the adjacent land areas to a distance of one-half the width of the floodplain, as measured from the normal high water mark to the upland limit of the floodplain.

Riverine: Means relating to, formed by, or resembling a river (including tributaries), stream, brook, etc.

Special Flood Hazard Area: See Area of Special Flood Hazard.

Start of Construction: Means the date the building permit was issued, provided the actual start of Construction, repair, reconstruction, rehabilitation, addition, placement, substantial improvement or Other improvement was within 180 days of the permit date. The actual start means either the first Placement of permanent construction of a structure on a site, such as the pouring of slab or footings, The installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for basement, footings, piers, or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor, or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

Structure: Means, for floodplain management purposes, a walled and roofed building. A gas or liquid storage tank that is principally above ground is also a structure.

Substantial Damage: Means, damage of any origin sustained by a structure whereby the cost of restoring the structure to its damage condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

Substantial Improvement: Means any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the start of construction of the improvement. This term includes structures which have incurred substantial damage, regardless of the actual repair work performed. The term does not, however, include their:

- (1) Any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local Code Enforcement Official and which are the minimum necessary to assure safe living conditions; or
- (2) Any alteration of historic structure, provided that the alteration will not preclude the structure's continued designation as a historic structure.

Variance: Means a grant of relief by a community from the terms of a floodplain management regulation.

Violation: Means the failure of a structure or development to comply with a community's floodplain management regulations.

Sec. 13-614 Abrogation.

This ordinance repeals and replaces any municipal ordinance previously enacted to comply with the National Flood Insurance Act of 1969 (P.L. 90-488, as amended).

