

| | Sq. Footage | | Sq. Footage |
|--|-----------------------------------|----------------------|---------------|
| Manufacturing | 11,960 | | |
| General Building | | Support Areas | |
| Rest Rooms | 617 | Machine Shop | 2,457 |
| Boiler Room | 390 | Warehouse (S & R) | 4,499 |
| Wood Shop | 180 | Loading Dock | 532 |
| Training Room | 304 | Tool Crib | 273 |
| Compressor Room | 266 | Maintenance Shop | 315 |
| Chemical Storage | 187 | Electrical Shop | 510 |
| Janitor | 224 | Engineering/Drafting | 294 |
| Cafeteria | 1,384 | MID | 160 |
| Employee Entrance | 234 | | 9,040 |
| Front Lobby | 397 | | |
| General Offices | 2,487 | | |
| Conference Room | 325 | | |
| Aisle ways & exits | 2,905 | | |
| | 9,900 | Grand Total | 30,900 |
| Boilers: | | | |
| Two H. B. Smith 1000 btu = 1 lb steam boilers. Consumes #2 fuel | | | |
| Air Condition Units (ceiling) | Total of 55 Tons cooling capacity | | |
| Four 7.5 Ton mix air | | | |
| Two 10 Ton mix air | | | |
| One 15 Ton | | | |
| Air Compressors | | | |
| Two Ingersol-Rand 60 hp 45-50 kw | | | |
| One Ingersol-Rand 30 hp | | | |
| Line pressure is 105 psi. | | | |
| 2,000 gallon underground fuel storage tank | | | |
| Double jacketed tank with monitors and sensors Installed 5/23/97 | | | |











