

## Chapter 8

### HOUSING QUALITY STANDARDS AND RENT REASONABLENESS DETERMINATIONS

[24 CFR 982 Subpart I and 24 CFR 982.507]

#### INTRODUCTION

HUD requires that all units occupied by families receiving Housing Choice Voucher (HCV) assistance meet HUD's Housing Quality Standards (HQS) and permits the PHA to establish additional requirements. The use of the term "HQS" in this plan refers to the combination of both HUD and PHA-established requirements.

All units must pass an HQS inspection prior to the approval of a lease and at least once every 24 months during the term of the contract, and at other times as needed, to determine that the unit meets HQS. HUD also requires PHAs to determine that rents for units under the program are reasonable when compared to comparable unassisted units in the market area.

This chapter explains HUD and PHA requirements related to housing quality and rent reasonableness as follows:

Part I. Physical Standards. This part discusses the physical standards required of units occupied by HCV-assisted families and identifies decisions about the acceptability of the unit that may be made by the family based upon the family's preference. It also identifies life-threatening conditions that must be addressed on an expedited basis.

Part II. The Inspection Process. This part describes the types of inspections the PHA will make and the steps that will be taken when units do not meet HQS.

Part III. Rent Reasonableness Determinations. This part discusses the policies the PHA will use to make rent reasonableness determinations.

Special HQS requirements for homeownership, manufactured homes, and other special housing types are discussed in Chapter 15 to the extent that they apply in this jurisdiction.



## **PART I: PHYSICAL STANDARDS**

### **8-1.A. GENERAL HUD REQUIREMENTS**

#### **HUD Performance and Acceptability Standards**

HUD's performance and acceptability standards for HCV-assisted housing are provided in 24 CFR 982.401. These standards cover the following areas:

- Sanitary facilities
- Food preparation and refuse disposal
- Space and Security
- Thermal Environment
- Illumination and electricity
- Structure and materials
- Interior Air Quality
- Water Supply
- Lead-based paint
- Access
- Site and neighborhood
- Sanitary condition
- Smoke Detectors

A summary of HUD performance criteria is provided in Exhibit 8-1. Additional guidance on these requirements is found in the following HUD resources:

- Housing Choice Voucher Guidebook, Chapter 10.
- HUD Housing Inspection Manual for Section 8 Housing
- HUD Inspection Form, form HUD-52580 (3/01) and Inspection Checklist, form HUD-52580-A (9/00)
- HUD Notice 2003-31, Accessibility Notice: Section 504 of the Rehabilitation Act of 1973; the Americans with Disabilities Act of 1990; the Architectural Barriers Act of 1968 and the Fair Housing Act of 1988.
- HUD PIH Notice 2010-51, Over Subsidization in the Housing Choice Voucher Program (Extended by PIH 2012-33). PHA must verify at annual unit inspection if additional bedroom size, approved under a reasonable accommodation, is still necessary for medical equipment

**Caribou Housing Policy (2019)**

***Maine Universal Building and Electric Code (MUBC) and Life Safety Code (NFPA 101) will be used as inspection standards when their application is applicable.***

**Tenant Preference Items**

HUD requires the PHA to enforce minimum HQS but also recognizes that certain judgments about the acceptability of the unit are left to the family. For example, the PHA must ensure that the unit contains the required sanitary facilities, but the family decides whether the cosmetic appearance of the facilities is acceptable. Exhibit 8-2 summarizes those items that are considered tenant preferences.

**Modifications to Provide Accessibility**

Under the Fair Housing Act of 1988 an owner must not refuse the request of a family that contains a person with a disability to make necessary and reasonable modifications to the unit. Such modifications are at the family's expense. The owner may require restoration of the unit to its original condition if the modification would interfere with the owner or next occupant's full enjoyment of the premises. The owner may not increase a customarily required security deposit. However, the landlord may negotiate a restoration agreement that requires the family to restore the unit and, if necessary to ensure the likelihood of restoration, may require the tenant to pay a reasonable amount into an interest-bearing escrow account over a reasonable period of time. The interest in any such account accrues to the benefit of the tenant. The owner may also require reasonable assurances that the quality of the work will be acceptable and that any required building permits will be obtained. [24 CFR 100.203; Notice 2003-31].

Modifications to units to provide access for a person with a disability must meet all applicable HQS requirements and conform to the design, construction, or alteration of facilities contained in the UFAS and the ADA Accessibility Guidelines (ADAAG) [28 CFR 35.151(c) and Notice 2003-31] See Chapter 2 of this plan for additional information on reasonable accommodations for persons with disabilities.

**Caribou Housing Policy**

Any owner that intends to negotiate a restoration agreement or require an escrow account must submit the agreement(s) to Caribou Housing for review.

## 8-I.B. ADDITIONAL LOCAL REQUIREMENTS

The PHA may impose variations to the HQS as long as the additional criteria are not likely to adversely affect the health or safety of participant families or severely restrict housing choices for families. HUD approval is required for variations to the HQS. HUD approval is not required if the variations are clarifications of HUD's acceptability criteria or performance standards [24 CFR 982.401(a)(4)].

### **Thermal Environment [HCV GB p.10-7]**

The PHA must define a "healthy living environment" for the local climate. This may be done by establishing a temperature that the heating system must be capable of maintaining, that is appropriate for the local climate.

Caribou Housing Policy (2017)

*The heating system must be capable of maintaining an interior temperature of 68 degrees Fahrenheit 5 feet from the floor and 3 feet from the exterior walls at a -20-degree Fahrenheit outside temperature, as required by Maine law.*

### **Clarifications of HUD Requirements**

Caribou Housing Policy

As permitted by HUD, Caribou Housing has adopted the following specific requirements that elaborate on HUD standards.

#### **Adult Presence**

Caribou Housing Policy (2008)

*Caribou Housing inspectors will not conduct an HQS inspection without a person 18 years of age or older present in the unit.*

#### **Basements**

Caribou Housing Policy (2012)

*All basements and utility rooms must be accessible at the time of inspection.*

#### **Bedrooms**

Caribou Housing Policy (2012)

*Bedrooms in basements or attics are not allowed unless they meet local fire and City Code requirements and must have adequate ventilation and an emergency exit capability.*

### **Carbon Monoxide Detectors**

Caribou Housing Policy (2018)

**Carbon Monoxide Detectors must be installed within 15 feet of all bedrooms and powered by both electrical service and battery backup or a non-replaceable 10-year battery.**

**Upon the request of a deaf or hard of hearing occupancy, the owner of a dwelling unit shall provide an approved CO detector within the dwelling unit. If the owner does not provide a suitable CO detector, the occupancy may purchase, install and maintain a suitable CO detector for themselves, and deduct the cost from the rent.**

### **Ceilings**

- **In areas where plaster or drywall is severely sagging, cracked (larger than 1/8" wide or longer than 11"), has holes (larger than a quarter), it must be repaired or replaced and primed to match existing ceilings. There shall be no missing ceiling tiles and if they are stained they need to be replaced or painted**

### **Clutter**

- **Units containing clutter resulting in a fire hazard or a threat to decent, safe and sanitary condition, or would impede an inspection must be corrected or will result in an HQS fail.**

### **Debris/Housekeeping**

- Excessive debris or garbage conducive to unsafe or unsanitary conditions, infestation of rodents or insects, or a fire hazard will not be permitted on the premises of units' subject to HQS inspection.

Caribou Housing Policy (2012)

**Caribou Housing may fail unsanitary units where food, garbage, excrement, filth, etc. exists to a degree where health can be damaged. Caribou Housing may also fail units where papers, clothes, and trash are piled high and cause fire (blocking heat and/or windows) and/or a health hazard. Excessive debris conducive to unsafe or unsanitary conditions, infestations of rodents or insects will not be permitted.**

**These will be considered tenant violations.**

### **Doors**

- All exterior doors must be weather-tight to avoid any air or water infiltration, be lockable, have no holes, have all trim intact, and have a threshold.
- All interior doors must have no holes, have all trim intact, and be openable without the use of a key.

### ***Digital Photos of Inspections***

*Caribou Housing Policy (2019)*

***Caribou Housing will take digital photos at inspections including initial, annual, special, quality control, and re-inspection when there is a possible deficiency that is in question and/or documentation is needed for further reference.***

### ***Fireplaces***

*Caribou Housing Policy (2012)*

***No fireplace within a unit can be used unless Caribou Housing receives written documentation of an annual inspection by the local fire department inspector.***

### ***Floors (2017)***

- All wood floors must be sanded to a smooth surface and sealed. Any loose or warped boards must be re-secured and made level. If they cannot be leveled, they must be replaced.
- All floors must be in a *clean*, finished state. *Carpet or vinyl products must be free of holes and trip hazards.* Raw wood, *sub floors* or unsealed concrete is not permitted.
- All floors should have some type of base shoe, trim, or sealing for a "finished look." Vinyl base shoe is permitted.

### ***Furnaces/Boilers***

*Caribou Housing Policy (2012)*

***All oil and gas furnaces and boilers must be serviced annually, and a dated inspection/service tag must be affixed to the furnace/boiler or hung in the immediate vicinity.***

***All service work must be done by a licensed professional.***

### **Ground-Fault Circuit-Interrupter (GFCI)**

Caribou Housing Policy (2012)

**Working ground-fault circuit-Interrupter (GFCI) protection must be installed on all outlets in the following locations: bathrooms, outlets installed to serve countertops in kitchens, outdoors (must also be covered), crawl spaces at or below grade, garages and accessory buildings located at or below grade, sinks in other areas other than the kitchen where receptacles are installed within 6 feet of the outside edge of the sink.**

**GFCI outlets that do not trip when tested with tester, will be a “Fail. If the GFCI outlet is not grounded (i.e. due to age of unit), it must be labeled properly – “Not Grounded”.**

### **Health Concerns**

Caribou Housing Policy (2017)

**Caribou Housing inspectors may choose to not perform an inspection, when scheduled, if they determine that a unit contains any health hazards (i.e. flu, blood, etc.) that may constitute a threat to their health and safety.**

**The unit will be rescheduled at a later date, to give the participant a chance to clean up the health containments.**

### **Insect and Rodent**

Caribou Housing Policy (2012)

**The Caribou Housing’s interpretation is to assume any infestation as “serious and persistent” and fail the unit. Owners will be required to show proof of correction attempts for the unit it pass upon re-inspection.**

**Any Maine State Laws regarding infestation must be followed.**

**Caribou Housing inspectors will not perform an inspection if they determine that any infestation or suspected infestation constitutes a threat to their health and safety.**

## **Bed Bugs**

### **Caribou Housing Policy (2019)**

*Upon report of bed bugs in a unit Caribou Housing will send written notification of the report to the tenant and owner including a copy of Maine Statute specific to treatment of bedbug infestation. Owners will be required to show proof of treatment performed by a licensed pest control company within 30 days and to continue to provide proof of treatment on a monthly basis until the unit is cleared of bed bugs.*

*The Owner will have no more than 6 months from the date of Caribou Housing's notification letter to clear the unit of bedbugs or the unit will be abated.*

*PHA Housing Inspectors will not perform an inspection in a unit where bed bug infestation has been reported*

## **Licensed Professional**

### **Caribou Housing Policy (2017)**

*All work on units resulting from a failed inspection must be completed by a state licensed professional if so required by law. This includes, but is not limited to, electrical, plumbing, and oil and soil fuel as applicable.*

*Caribou Housing reserves the right to request that owners provide written documentation of professional completion.*

*The exception to this rule is, a Property Owner/Manager may do the following work without hiring a licensed professional:*

- *Electrical Work: replacing outlet covers and light switch plates*
- *Plumbing Work: replacing plumbing fixtures*

## **Locks**

### **Caribou Housing Policy (2012)**

*Double-key deadbolts are not allowed to be installed in any egress door of a unit or common areas of the building that provide mutual access.*

## **Mold**

### Caribou Housing Policy (2012)

*Although some mold presence is normal, mold amplification is not. The unit must be free from abnormally high levels of air pollution caused by carbon monoxide sewer gas, fuel gas, dust or other harmful pollutants. Although HUD does not specifically address such items as mold, radon or asbestos, Caribou Housing will categorize by definition under “harmful pollutants”.*

## **Numbers**

### Caribou Housing Policy (2016)

*All units and buildings must be clearly and properly numbered per City of Caribou 911 Ordinance.*

## **Paint**

### Caribou Housing Policy (2019)

*Deteriorated interior and exterior surfaces must be treated and stabilized using lead-safe work practices as appropriate. A deteriorated surface is paint or any other coating that is peeling, chipping, chalking or cracking or otherwise damaged or separated from the substrate*

*Any required lead-based paint testing will be conducted by a certified lead-based paint inspector. Caribou Housing will not abate Housing Assistance Payments if the Owner is complying with the State plan for treatment. If the Owner fails to comply with the State plan, Caribou Housing will abate Housing Assistance Payments retroactive to the expiration date of the original 30-day notice.*

## **Security**

- If window security bars or security screens are present on emergency exit windows, they must be equipped with a quick release system. The owner is responsible for ensuring that the family is instructed on the use of the quick release system.

### **Showers and Tubs**

Caribou Housing Policy (2012)

***All showers and tubs must be fully operable, in sanitary conditions with no large cracks in the enamel or in the caulking.***

***Shower head flange must be attached to the wall.***

### **Sinks (2016)**

- All sinks and commode water lines must have shut off valves, unless faucets are wall mounted. ***All sink drains must have a gas trap installed.***
- All sinks must have functioning stoppers.

### **Site and Neighborhood Conditions**

Caribou Housing Policy (2012)

***Any vehicle situation on the property in a condition as to pose a threat to the health and safety of the residents and/or neighbors must be removed.***

### **Smoke Detectors**

Caribou Housing Policy (2018)

***Hard-wired with battery backup smoke detectors must be installed on all floors including the basement and enclosed interior common hallways in units in apartment buildings. As a substitute, in the common hallways a 10-year sealed tamper-resistant battery powered smoke detector may be installed.***

***Tenants shall keep the smoke detector in working condition, test them periodically to ensure that they work and refrain from disabling them.***

***Any smoke detector located within 20 feet of a kitchen or a bathroom containing a tub or shower must be photoelectric smoke detector.***

### **Toilets**

- All worn or cracked toilet seats and tank lids must be replaced, and toilet tank lid must fit properly.
- Large cracks in the enamel are not allowed.

*Walls (2019)*

**Caribou Housing Policy (2019)**

**In areas where plaster or drywall is severely sagging, buckling, bulging, cracked (larger than 1/8" wide or longer than 11"), has holes (larger than a quarter), it must be repaired or replaced and primed**

*Windows (2019)*

- Window sashes must be in good condition, solid and intact, and properly fitted to the window frame. Damaged or deteriorated sashes must be replaced. *All windows must have trim intact.*
- Windows must be weather-stripped as needed to ensure a weather-tight seal.
- Window screens must be in good condition (applies only if screens are present).
- ***At least one window in any room used for sleeping shall be an egress window.***
  - ***Any building constructed before 1976 will be allowed to meet the following specifications: the net clear opening would be allowed to meet the minimum 20" in width and 24" in height with a total net clear opening of 3.3 square feet; if the window is constructed of wood or vinyl and overall window sash size meets a minimum of 5.0 square feet. The window shall meet all other requirements for an egress window as specified in NFPA 101 Life Safety Code as adopted by the Office of State Fire Marshal. Any replacement window installed in a building constructed before 1976 shall meet the same requirements as the existing windows and shall not reduce the existing net clear opening below the minimum requirements.***
  - ***Any building constructed after 1976 shall be required to comply with the requirement to provide 5.7 square feet of net clear opening with a minimum width of 20" and a minimum height of 24". The window shall also meet all other requirements for egress windows contained in NFPA 101 Life Safety Code. Any replacement windows installed in a building constructed after 1976 shall be required to meet the net clear opening of 5.7 square feet. This shall be measured with the window in its natural open position.***
- ***If an egress window fails Caribou Housing's inspection but is inspected by the local fire chief or local code enforcement officer, and they provide a letter in writing stating they approve the window, Caribou Housing will accept the letter and pass the window.***

### **8-I.C. LIFE-THREATENING CONDITIONS [24 CFR 982.404(a); FR Notice 1/18/17]**

HUD requires the PHA to define life-threatening conditions and to notify the owner or the family (whichever is responsible) of the corrections required. The responsible party must correct life-threatening conditions within 24 hours of PHA notification.

#### Caribou Housing Policy

The following are considered life-threatening conditions:

Any condition that jeopardizes the security of the unit

Major plumbing leaks or flooding, waterlogged ceiling or floor in imminent danger of falling

Natural or LP gas or fuel oil leaks

A fuel storage vessel, fluid line, valve, or connection that supplies fuel to a HVAC unit is leaking or a strong odor is detected with potential for explosion or fire or that results in a health risk if inhaled

Any electrical problem or condition that could result in shock or fire

A light fixture is readily accessible, is not securely mounted to the ceiling or wall, and electrical connections or wires are exposed

A light fixture is hanging by its wires

A light fixture has a missing or broken bulb, and the open socket is readily accessible to the tenant during the day-to-day use of the unit

A receptacle (outlet) or switch is missing or broken, and electrical connections or wires are exposed

An open circuit breaker position is not appropriately blanked off in a panel board, main panel board, or other electrical box that contains circuit breakers or fuses

A cover is missing from any electrical device box, panel box, switch gear box, control panel, etc., and there are exposed electrical connections

Any nicks, abrasions, or fraying of the insulation that exposes conducting wire

Exposed bare wires or electrical connections

Any condition that results in openings in electrical panels or electrical control device enclosures

Water leaking or ponding near any electrical device

Any condition that poses a serious risk of electrocution or fire and poses an immediate life-threatening condition

Absence of a working heating system when outside temperature is below 60 degrees Fahrenheit.

Utilities not in service, including no running hot water

Conditions that present the imminent possibility of injury

Obstacles that prevent safe entrance or exit from the unit

Any components that affect the function of the fire escape are missing or damaged

Stored items or other barriers restrict or prevent the use of the fire escape in the event of an emergency

The building's emergency exit is blocked or impeded, thus limiting the ability of occupants to exit in a fire or other emergency

Absence of a functioning toilet in the unit

Inoperable or missing smoke detectors

Missing or inoperable carbon monoxide detector

Missing, damaged, discharged, overcharged, or expired fire extinguisher (where required)

Gas/oil-fired water heater or heating, ventilation, or cooling system with missing, damaged, improper, or misaligned chimney venting

The chimney or venting system on a fuel-fired water heater is misaligned, negatively pitched, or damaged, which may cause improper or dangerous venting or gases

A gas dryer vent is missing, damaged, or is visually determined to be inoperable, or the dryer exhaust is not vented to the outside

A fuel-fired space heater is not properly vented or lacks available combustion air

A non-vented space heater is present

Safety devices on a fuel-fired space heater are missing or damaged

The chimney or venting system on a fuel-fired heating, ventilation, or cooling system is misaligned, negatively pitched, or damaged, which may cause improper or dangerous venting of gas

Deteriorating paint as defined at 24 CFR 35.110 in a unit built before 1978 that is to be occupied by a family with a child under six years of age if it would prevent the family from moving into the unit

If an owner fails to correct life-threatening conditions as required by, Caribou Housing will enforce the HQS in accordance with HUD requirements. See 8-II-G.

If a family fails to correct a family-caused life-threatening condition as required by Caribou Housing, Caribou Housing will enforce the family obligations. See 8-II.H.

#### **8-I.D. OWNER AND FAMILY RESPONSIBILITIES [24 CFR 982.404]**

##### **Family Responsibilities**

The family is responsible for correcting the following HQS deficiencies:

- Tenant-paid utilities not in service
- Failure to provide or maintain appliances owned by the family
- Damage to the unit or premises caused by a household member or guest beyond normal wear and tear that results in a breach of the HQS. "Normal wear and tear" is defined as items which could not be charged against the tenant's security deposit under state law or court practice.

##### **Owner Responsibilities**

The owner is responsible for all HQS violations not listed as a family responsibility above, even if the violation is caused by the family's living habits (e.g., vermin infestation). However, if the family's actions constitute a serious or repeated lease violation the owner may take legal action to evict the family.

**8-I.E. SPECIAL REQUIREMENTS FOR CHILDREN WITH ELEVATED BLOOD LEAD LEVEL [24 CFR 35.1225; FR Notice 1/13/17; Notice PIH 2017-13]**

If a PHA is notified by a public health department or other medical health care provider, or verifies information from a source other than a public health department or medical health care provider, that a child of less than six years of age, living in an HCV-assisted unit has been identified as having an elevated blood lead level, the PHA must complete an environmental investigation of the dwelling unit within 15 calendar days after being notified by a public health department or other medical health care provider. The environmental investigation must be completed in accordance with program requirements, and the result of the environmental investigation must be immediately provided to the owner of the dwelling unit. In cases where the public health department has already completed an evaluation of the unit, this information must be provided to the owner.

Within 30 days after receiving the environmental investigation report from the PHA, or the evaluation from the public health department, the owner is required to complete the reduction of identified lead-based paint hazards in accordance with the lead-based paint regulations [24 CFR 35.1325 and 35.1330]. If the owner does not complete the “hazard reduction” as required, the dwelling unit is in violation of HQS and the PHA will take action in accordance with Section 8-II.G.

PHA reporting requirements, and data collection and record keeping responsibilities related to children with an elevated blood lead level are discussed in Chapter 16.

**8-I.F. VIOLATION OF HQS SPACE STANDARDS [24 CFR 982.401, 24 CFR 982.403]**

A dwelling unit must:

- Provide adequate space and security for the family
- Have at least one bedroom or living/sleeping room for each two persons

A unit that does not meet these HQS space standards is defined as *overcrowded*.

A living room may be used as sleeping (bedroom) space, but no more than two persons may occupy the space [HCV GB p. 10-6]. A bedroom or living/sleeping room must have at least:

- One window
- Two electrical outlets in proper operating condition (permanent overhead or wall-mounted light fixtures may count as one of the required electrical outlets)

If the PHA determines that a unit is overcrowded because of an increase in family size or a change in family composition, the PHA must issue the family a new voucher, and the family and PHA must try to find an acceptable unit as soon as possible. If an acceptable unit is available for rental by the family, the PHA must terminate the HAP contract in accordance with its terms.

## PART II: THE INSPECTION PROCESS

### 8-II.A. OVERVIEW [24 CFR 982.405]

#### Types of Inspections

The PHA conducts the following types of inspections as needed. Each type of inspection is discussed in the paragraphs that follow.

- *Initial Inspections.* The PHA conducts initial inspections in response to a request from the family to approve a unit for participation in the HCV program.
- *Annual/Biennial Inspections.* HUD requires the PHA to inspect each unit under lease at least annually or biennially, depending on Caribou Housing Policy, to confirm that the unit still meets HQS. The inspection may be conducted in conjunction with the family's annual reexamination but also may be conducted separately.
- *Special Inspections.* A special inspection may be requested by the owner, the family, or a third party as a result of problems identified with a unit between annual inspections.
- *Quality Control Inspections.* HUD requires that a sample of units be inspected by a supervisor or other qualified individual to evaluate the work of the inspector(s) and to ensure that inspections are performed in compliance with the HQS.

#### Inspection of PHA-Owned Units [24 CFR 982.352(b)]

The PHA must obtain the services of an independent entity to perform all HQS inspections in cases where an HCV family is receiving assistance in a PHA-owned unit. A PHA-owned unit is defined as a unit that is owned by the PHA that administers the assistance under the consolidated ACC (including a unit owned by an entity substantially controlled by the PHA). The independent agency must communicate the results of each inspection to the family and the PHA. The independent agency must be approved by HUD and may be the unit of general local government for the PHA jurisdiction (unless the PHA is itself the unit of general local government or an agency of such government).

### **Inspection Costs [Notice PIH 2016-05]**

The PHA may not charge the family for unit inspections or reinspections [24 CFR 982.405(e)]. In the case of inspections of PHA-owned units, the PHA may compensate the independent agency from ongoing administrative fee for inspections performed. The PHA and the independent agency may not charge the family any fee or charge for the inspection [24 CFR.982.352(b)].

The PHA may not charge the owner for the inspection of the unit prior to the initial term of the lease or for a first inspection during assisted occupancy of the unit. However, the PHA may charge a reasonable fee to owners for reinspections in two situations: when the owner notifies the PHA that a repair has been made but the deficiency has not been corrected, and when the time for repairs has elapsed and the deficiency has not been corrected. Fees may not be imposed for tenant-caused damages, for cases in which the inspector could not gain access to the unit, or for new deficiencies discovered during a reinspection.

The owner may not pass the cost of a reinspection fee to the family. Reinspection fees must be added to the PHA's administrative fee reserves and may only be used for activities related to the provision of tenant-based assistance.

#### Caribou Housing Policy

Caribou Housing will not charge a fee for failed reinspections.

### **Notice and Scheduling**

The family must allow the PHA to inspect the unit at reasonable times with reasonable notice [24 CFR 982.551(d)].

#### Caribou Housing Policy

Both the family and the owner will be given reasonable notice of all inspections. Except in the case of a life-threatening emergency, reasonable notice is considered to be not less than 48 hours. Inspections may be scheduled between 8:00 a.m. and 4:00 p.m. Generally, inspections will be conducted on business days only. In the case of a life-threatening emergency, Caribou Housing will give as much notice as possible, given the nature of the emergency.

### **Owner and Family Inspection Attendance**

HUD permits the PHA to set policy regarding family and owner presence at the time of inspection [HCV GB p. 10-27].

#### Caribou Housing Policy

When a family occupies the unit at the time of inspection an adult family member must be present for the inspection. The presence of the owner or the owner's representative is encouraged but is not required.

At initial inspection of a vacant unit, Caribou Housing will inspect the unit in the presence of the owner or owner's representative. The presence of a family representative is permitted but is not required.

## 8-II.B. INITIAL HQS INSPECTION [24 CFR 982.401(a)]

### Initial Inspections [FR Notice 1/18/17]

The PHA may, but is not required to, approve assisted tenancy and start HAP if the unit fails HQS inspection, but only if the deficiencies identified are non-life-threatening. Further, the PHA may, but is not required to, authorize occupancy if a unit passed an alternative inspection in the last 24 months.

#### Caribou Housing Policy

The unit must pass the HQS inspection on or before the effective date of the HAP contract.

Caribou Housing will not rely on alternative inspections and will conduct an HQS inspection for each unit prior to executing a HAP contract with the owner.

### Timing of Initial Inspections

HUD requires PHAs with fewer than 1,250 budgeted units to complete the initial inspection, determine whether the unit satisfies HQS, and notify the owner and the family of the determination within 15 days of submission of the Request for Tenancy Approval (RTA). For PHAs with 1,250 or more budgeted units, to the extent practicable such inspection and determination must be completed within 15 days. The 15-day period is suspended for any period during which the unit is not available for inspection [982.305(b)(2)].

#### Caribou Housing Policy (2019)

Caribou Housing will complete the initial inspection, determine whether the unit satisfies HQS, and notify the owner and the family of the determination within 15 days of submission of the Request for Tenancy Approval (RTA).

*During the winter months, if the unit passes inspection but has exterior work that needs to be completed, Caribou Housing may offer an Acknowledgement Form to be signed by the owner and the tenant giving the owner until June 30<sup>th</sup> to complete the work. A re-inspection will be scheduled after June 30<sup>th</sup> to ensure that the work has been completed.*

- *If there is a child under the age of six that will be residing in the unit, no exceptions will be granted if the exterior work involves deteriorated paint. Also, no exceptions will be granted if the egress window in the room used for sleeping does not meet NFPA 101 Life Safety Code.*

### Inspection Results and Reinspection's

#### Caribou Housing Policy

If any HQS violations are identified, the owner will be notified of the deficiencies and be given a time frame to correct them. If requested by the owner, the time frame for correcting the deficiencies may be extended by Caribou Housing for good cause. Caribou Housing will reinspect the unit within 5 business days of the date the owner notifies Caribou Housing that the required corrections have been made.

If the time period for correcting the deficiencies (or any PHA-approved extension) has elapsed, or the unit fails HQS at the time of the reinspection, Caribou Housing will notify the owner and the family that the unit has been rejected and that the family must search for another unit. Caribou Housing may agree to conduct a second reinspection, for good cause, at the request of the family and owner.

Following a failed reinspection, the family may submit a new Request for Tenancy Approval after the owner has made repairs, if they are unable to locate another suitable unit.

### **Utilities**

Generally, at initial lease-up the owner is responsible for demonstrating that all utilities are in working order including those utilities that the family will be responsible for paying.

#### Caribou Housing Policy

If utility service is not available for testing at the time of the initial inspection, Caribou Housing will allow the utilities to be placed in service after the unit has met all other HQS requirements. Caribou Housing will reinspect the unit to confirm that utilities are operational before the HAP contract is executed by Caribou Housing.

### **Appliances [Form HUD-52580]**

#### Caribou Housing Policy (2019)

If the family is responsible for supplying the stove and/or refrigerator, Caribou Housing ***They must be in present and in working order at the time of the initial inspection.***

**8-II.C. ANNUAL/BIENNIAL HQS INSPECTIONS [24 CFR 982.405 and 982.406; Notice PIH 2016-05]**

Caribou Housing Policy (2019)

Each unit under HAP contract must be inspected within 12 months of the last full HQS inspection.

Caribou Housing will not rely on alternative inspection standards.

*Caribou Housing, at its discretion, may conduct annual/biennial inspections in the following manner:*

- *Annual HQS Inspections: will be conducted on the unit, if it “failed” the previous last full HQS inspection (prior calendar year). The unit will remain at an annual inspection status until it “passes” a full HQS inspection; at which then it may go to a biennial status.*
- *Biennial HQS Inspection: will be conducted on the unit, if it “passed” the previous last full HQS inspection (prior calendar year). The unit will remain at a biennial inspection status as long as it has “passes” a full HQS inspection.*
  - *If the unit fails it’s biennial HQS inspection, the unit will be marked as an annual status for its next full HQS inspection.*

**Scheduling the Inspection**

Caribou Housing Policy

If an adult family member cannot be present on the scheduled date, the family should request that Caribou Housing reschedule the inspection. Caribou Housing and family will agree on a new inspection date that generally should take place within 5 business days of the originally-scheduled date. Caribou Housing may schedule an inspection more than 5 business days after the original date for good cause.

If the family misses the first scheduled appointment without requesting a new inspection date, Caribou Housing will automatically schedule a second inspection. If the family misses two scheduled inspections without PHA approval, Caribou Housing will consider the family to have violated its obligation to make the unit available for inspection. This may result in termination of the family’s assistance in accordance with Chapter 12.

#### **8-II.D. SPECIAL INSPECTIONS [24 CFR 982.405(g)]**

If a participant or government official reports a life-threatening condition which the owner would be required to repair within 24 hours, the PHA must inspect the unit within 24 hours of notification. If the reported condition is not life-threatening, the PHA must inspect the unit within 15 days of notification.

##### Caribou Housing Policy

During a special inspection, Caribou Housing generally will inspect only those deficiencies that were reported. However, the inspector will record any additional HQS deficiencies that are observed and will require the responsible party to make the necessary repairs.

If the annual inspection has been scheduled or is due within 90 days of the date the special inspection is scheduled Caribou Housing may elect to conduct a full annual inspection.

**8-II.E. QUALITY CONTROL INSPECTIONS [24 CFR 982.405(b); HCV GB, p. 10-32]**

HUD requires a PHA supervisor or other qualified person to conduct quality control inspections of a sample of units to ensure that each inspector is conducting accurate and complete inspections and that there is consistency in the application of the HQS.

The unit sample must include only units that have been inspected within the preceding 3 months. The selected sample will include (1) each type of inspection (initial, annual, and special), (2) inspections completed by each inspector, and (3) units from a cross-section of neighborhoods.

**Caribou Housing Policy (2019)**

*The sample size will be 5%. The sample will be drawn from recently completed HQS inspections (i.e., performed during the 3 months preceding re-inspection) and is to be drawn to represent a cross-section of neighborhoods and the work of a cross-section of inspectors*

## 8-II.F. INSPECTION RESULTS AND REINSPECTIONS FOR UNITS UNDER HAP CONTRACT

### Notification of Corrective Actions

The owner and the family will be notified in writing of the results of all inspections. When an inspection identifies HQS failures, the PHA will determine (1) whether the failure is a life-threatening condition and (2) whether the family or owner is responsible.

#### Caribou Housing Policy (2014)

When life-threatening conditions are identified, Caribou Housing will immediately notify both parties either in person or by telephone. ***The verbal notification must be followed up in writing, facsimile, or email.*** The notice will specify who is responsible for correcting the violation. The corrective actions must be taken within 24 hours of Caribou Housing's notice. ***If Caribou Housing is unable to contact the owner or its agents by phone or in person, the written notice must be sent by certificate of mail.***

When failures that are not life-threatening are identified, Caribou Housing will send the owner and the family a written notification of the inspection results within 5 business days of the inspection. The written notice will specify who is responsible for correcting the violation, and the time frame within which the failure must be corrected. Generally, not more than 30 days will be allowed for the correction.

The notice of inspection results will inform the owner that if life-threatening conditions are not corrected within 24 hours, and non-life-threatening conditions are not corrected within the specified time frame (or any PHA-approved extension), the owner's HAP will be abated in accordance with the Caribou Housing Policy (see 8-II.G.). Likewise, in the case of family caused deficiencies, the notice will inform the family that if corrections are not made within the specified time frame (or any Caribou Housing-approved extension, if applicable) the family's assistance will be terminated in accordance with the Caribou Housing Policy (see Chapter 12).

***Confirmation that the owner or agent has proceeded to make corrective repairs or made a sufficient good faith effort to repair must take place within the required time frame for emergency repairs (24 hours from the time of the inspection).***

***Caribou Housing may verify that correction of HQS violations remotely for annual/biennial or interim inspection. Caribou Housing may accept an owner's certification, licensed professional's certification, and tenant certification that repairs are complete and verify that the action at the next on-site inspection. Caribou Housing will tie the verification process to the severity of the corrections needed and/or is experience with the owner and the property.***

## Extensions

For conditions that are life-threatening, the PHA cannot grant an extension to the 24-hour corrective action period. For conditions that are not life-threatening, the PHA may grant an exception to the required time frames for correcting the violation, if the PHA determines that an extension is appropriate [24 CFR 982.404].

### Caribou Housing Policy (2017)

Extensions will be granted in cases where Caribou Housing has determined that the owner has made a good faith effort to correct the deficiencies and is unable to for reasons beyond the owner's control. Reasons may include, but are not limited to:

- A repair cannot be completed because required parts or services are not available.
- A repair cannot be completed because of weather conditions.
- A reasonable accommodation is needed because the family includes a person with disabilities.

The length of the extension will be determined on a case by case basis, but will not exceed 60 days, except in the case of delays caused by weather conditions. In the case of weather conditions, extensions may be continued until the weather has improved sufficiently to make repairs possible. The necessary repairs must be made within 15 calendar days, once the weather conditions have subsided.

***In the case of weather conditions, extensions may be continued until the weather has improved sufficiently to make repairs possible. These extensions will only be granted upon the receipt of a written and signed Acknowledgement from the property owner which lists the failed items and the date by which Caribou Housing will conduct the re-inspection. Failure to comply with the Acknowledgement will result in abatement and termination of the HAP payment. Lack of funds for repairs will not be considered good cause for the delay of a correction by the owner unless the owner can demonstrate that they have applied for loan or grant for which there is a reasonable expectation of funding.***

***Lack of funds for repairs will not be considered for good cause for the delay for a correction by the owner unless the owner can demonstrate that they applied for a loan or grant for which there is a reasonable expectation of funding.***

## Reinspection's

### Caribou Housing Policy (2017)

Caribou Housing, *at their discretion, may* conduct a reinspection immediately following the end of the corrective period, or any CHA approved extension.

The family and owner will be given reasonable notice of the reinspection appointment. If the deficiencies have not been corrected by the time of the reinspection, Caribou Housing will send a notice of abatement to the owner, or in the case of family caused violations, a notice of termination to the family, in accordance with PHA policies. If Caribou Housing is unable to gain entry to the unit in order to conduct the scheduled reinspection, Caribou Housing will consider the family to have violated its obligation to make the unit available for inspection. This may result in termination of the family's assistance in accordance with Chapter 12, *if this is a second family caused fail or delay.*

*Caribou Housing may accept photos from the owner to document specific HQS deficiency repairs identified on the inspection form. Caribou Housing will determine if submitted photo is acceptable for verification of corrected deficiency.*

## **8-II.G. ENFORCING OWNER COMPLIANCE**

If the owner fails to maintain the dwelling unit in accordance with HQS, the PHA must take prompt and vigorous action to enforce the owner obligations.

### **HAP Abatement**

If an owner fails to correct HQS deficiencies by the time specified by the PHA, HUD requires the PHA to abate housing assistance payments no later than the first of the month following the specified correction period (including any approved extension) [24 CFR 985.3(f)]. No retroactive payments will be made to the owner for the period of time the rent was abated. Owner rents are not abated as a result of HQS failures that are the family's responsibility.

#### Caribou Housing Policy (2017)

Caribou Housing will make all HAP abatements effective the first of the month following the expiration of Caribou Housing specified correction period (including any extension). In the case of 24 hour fails that abatement period will begin immediately after the unit fails inspection (HAP already paid for current month will be taken back in the next month)

Caribou Housing will inspect abated units within a reasonable time of the owner's notification that the work has been completed. Payment will resume effective on the day the unit passes inspection.

***Caribou Housing reserves the right to immediately terminate the HAP contract and issue the participant a voucher to move if the unit is uninhabitable.***

#### ***Moves during Abatement***

- ***In order to move with continued assistance during the abatement period, the participant must provide to both Caribou Housing and the owner either:***
  - ***A signed Mutual Lease Termination if they are in their initial lease term; or***
  - ***Written 30-day notice if currently under a month to month lease and must be in Good Standing***

***Caribou Housing reserves the right to immediately terminate the HAP contract and issue the participant a voucher to move if the unit is uninhabitable.***

#### ***Moves during Abatement***

- ***In order to move with continued assistance during the abatement period, the participant must provide to both Caribou Housing and the owner either:***
  - ***A signed Mutual Lease Termination if they are in their initial lease term; or***
  - ***Written 30-day notice if currently under a month to month lease and must be in Good Standing***

During any abatement period the family continues to be responsible for its share of the rent. The owner must not seek payment from the family for abated amounts and may not use the abatement as cause for eviction.

### **HAP Contract Termination**

The PHA must decide how long any abatement period will continue before the HAP contract will be terminated. The PHA should not terminate the contract until the family finds another unit, provided the family does so in a reasonable time [HCV GB p. 10-29] and must give the owner reasonable notice of the termination. The PHA will issue a voucher to permit the family to move to another unit as described in Chapter 10.

#### Caribou Housing Policy

The maximum length of time that HAP may be abated is 90 days. However, if the owner completes corrections and notifies Caribou Housing before the termination date of the HAP contract, Caribou Housing may rescind the termination notice if (1) the family still resides in the unit and wishes to remain in the unit and (2) the unit passes inspection.

Reasonable notice of HAP contract termination by Caribou Housing is 30 days.

### **8-II.H. ENFORCING FAMILY COMPLIANCE WITH HQS [24 CFR 982.404(b)]**

Families are responsible for correcting any HQS violations listed in paragraph 8.I.D. If the family fails to correct a violation within the period allowed by the PHA (and any extensions), the PHA will terminate the family's assistance, according to the policies described in Chapter 12.

If the owner carries out a repair for which the family is responsible under the lease, the owner may bill the family for the cost of the repair.

## **PART III: RENT REASONABLENESS [24 CFR 982.507]**

### **8-III.A. OVERVIEW**

Except in the case of certain LIHTC- and HOME-assisted units, no HAP contract can be approved until the PHA has determined that the rent for the unit is reasonable. The purpose of the rent reasonableness test is to ensure that a fair rent is paid for each unit rented under the HCV program.

HUD regulations define a reasonable rent as one that does not exceed the rent charged for comparable, unassisted units in the same market area. HUD also requires that owners not charge more for assisted units than for comparable units on the premises. This part explains the method used to determine whether a unit's rent is reasonable.

#### **PHA-Owned Units [24 CFR 982.352(b)]**

In cases where an HCV family is receiving assistance in a PHA-owned unit, the PHA must obtain the services of an independent entity to determine rent reasonableness in accordance with program requirements, and to assist the family in negotiating the contract rent when the family requests assistance. A PHA-owned unit is defined as a unit that is owned by the PHA that administers the assistance under the consolidated ACC (including a unit owned by an entity substantially controlled by the PHA). The independent agency must communicate the results of the rent reasonableness determination to the family and the PHA. The independent agency must be approved by HUD and may be the unit of general local government for the PHA jurisdiction (unless the PHA is itself the unit of general local government or an agency of such government).

## **8-III.B. WHEN RENT REASONABLENESS DETERMINATIONS ARE REQUIRED**

### **Owner-Initiated Rent Determinations**

The PHA must make a rent reasonableness determination at initial occupancy and whenever the owner requests a rent adjustment.

The owner and family first negotiate the rent for a unit. The PHA (or independent agency in the case of PHA-owned units) will assist the family with the negotiations upon request. At initial occupancy the PHA must determine whether the proposed rent is reasonable before a HAP Contract is signed. The owner must not change the rent during the initial lease term. Subsequent requests for rent adjustments must be consistent with the lease between the owner and the family. Rent increases will not be approved unless any failed items identified by the most recent HQS inspection have been corrected.

#### Caribou Housing Policy (2019)

After the initial occupancy period, the owner may request a rent adjustment in accordance with the owner's lease. For rent increase requests after initial lease-up, Caribou Housing may request owners to provide information about the rents charged for other units on the premises, if the premises include more than 4 units. In evaluating the proposed rents in comparison to other units on the premises Caribou Housing will consider unit size and length of tenancy in the other units.

Caribou Housing will determine whether the requested increase is reasonable within 10 business days of receiving the request from the owner. The owner will be notified of the determination in writing.

All rents adjustments will be effective the first of the month following 60 days after Caribou Housing's receipt of the owner's request or on the date specified by the owner, whichever is later.

***Rent increases will only be approved if the unit passes HQS inspection.***

### **PHA- and HUD-Initiated Rent Reasonableness Determinations**

HUD requires the PHA to make a determination of rent reasonableness (even if the owner has not requested a change) if there is a 10 percent decrease in the fair market rent that goes into effect at least 60 days before the contract anniversary date. HUD also may direct the PHA to make a determination at any other time. The PHA may decide that a new determination of rent reasonableness is needed at any time.

#### Caribou Housing Policy

In addition to the instances described above, Caribou Housing will make a determination of rent reasonableness at any time after the initial occupancy period if: (1) Caribou Housing determines that the initial rent reasonableness determination was in error or (2) Caribou Housing determines that the information provided by the owner about the unit or other units on the same premises was incorrect.

### **LIHTC- and HOME-Assisted Units [24 CFR 982.507(c)]**

For units receiving low-income housing tax credits (LIHTCs) or units assisted under HUD's HOME Investment Partnerships (HOME) Program, a rent comparison with unassisted units is not required if the voucher rent does not exceed the rent for other LIHTC- or HOME-assisted units in the project that are not occupied by families with tenant-based assistance.

For LIHTCs, if the rent requested by the owner does exceed the LIHTC rents for non-voucher families, the PHA must perform a rent comparability study in accordance with program regulations. In such cases, the rent shall not exceed the lesser of: (1) the reasonable rent as determined from the rent comparability study; or (2) the payment standard established by the PHA for the unit size involved.

### **8-III.C. HOW COMPARABILITY IS ESTABLISHED**

#### **Factors to Consider**

HUD requires PHAs to take into consideration the factors listed below when determining rent comparability. The PHA may use these factors to make upward or downward adjustments to the rents of comparison units when the units are not identical to the HCV-assisted unit.

- Location and age
- Unit size including the number of rooms and square footage of rooms
- The type of unit including construction type (e.g., single family, duplex, garden, low-rise, high-rise)
- The quality of the units including the quality of the original construction, maintenance and improvements made
- Amenities, services, and utilities included in the rent

#### **Units that Must Not Be Used as Comparables**

Comparable units must represent unrestricted market rents. Therefore, units that receive some form of federal, state, or local assistance that imposes rent restrictions cannot be considered comparable units. These include units assisted by HUD through any of the following programs: Section 8 project-based assistance, Section 236 and Section 221(d)(3) Below Market Interest Rate (BMIR) projects, HOME or Community Development Block Grant (CDBG) program-assisted units in which the rents are subsidized; units subsidized through federal, state, or local tax credits; units subsidized by the Department of Agriculture rural housing programs, and units that are rent-controlled by local ordinance.

**Note:** Notice PIH 2011-46, issued August 17, 2011, provides further guidance on the issue of what constitutes an assisted unit.

**Rents Charged for Other Units on the Premises**

The Request for Tenancy Approval (HUD-52517) requires owners to provide information, on the form itself, about the rent charged for other unassisted comparable units on the premises if the premises include more than 4 units.

By accepting the PHA payment each month the owner certifies that the rent is not more than the rent charged for comparable unassisted units on the premises. If asked to do so, the owner must give the PHA information regarding rents charged for other units on the premises.

## 8-III.D. PHA RENT REASONABLENESS METHODOLOGY

### How Market Data Is Collected

#### Caribou Housing Policy


Caribou Housing will collect and maintain data on market rents in Caribou Housing's jurisdiction. Information sources include newspapers, realtors, market surveys, inquiries of owners and other available sources. The data will be maintained by bedroom size and market areas. Market areas may be defined by zip codes, census tract, neighborhood, and identifiable natural or man-made boundaries. The data will be updated on an ongoing basis and rent information that is more than 12 months old will be eliminated from the database.

### How Rents Are Determined

#### Caribou Housing Policy

The rent for a unit proposed for HCV assistance will be compared to the rent charged for comparable units in the same market area. *Caribou Housing will use its rent reasonableness module within the Housing Pro software system. At the time of determination three comparable unit will be selected from the module to establish rent reasonableness unless sufficient units are not available.*

Caribou Housing will notify the owner of the rent Caribou Housing can approve based upon its analysis of rents for comparable units. The owner may submit information about other comparable units in the market area. Caribou Housing will confirm the accuracy of the information provided and consider this additional information when making rent determinations. The owner must submit any additional information within 5 business days of Caribou Housing's request for information or the owner's request to submit information.



## **EXHIBIT 8-1: OVERVIEW OF HUD HOUSING QUALITY STANDARDS**

Note: This document provides an overview of HQS. For more detailed information see the following documents:

- 24 CFR 982.401, Housing Quality Standards (HQS)
- Housing Choice Voucher Guidebook, Chapter 10.
- HUD Housing Inspection Manual for Section 8 Housing
- HUD Inspection Form, form HUD-52580 (3/01) and Inspection Checklist, form HUD-52580-A (9/00)

### **Sanitary Facilities**

The dwelling unit must include sanitary facilities within the unit. The sanitary facilities must be usable in privacy and must be in proper operating condition and adequate for personal cleanliness and disposal of human waste.

### **Food Preparation and Refuse Disposal**

The dwelling unit must have space and equipment suitable for the family to store, prepare, and serve food in a sanitary manner.

### **Space and Security**

The dwelling unit must provide adequate space and security for the family. This includes having at least one bedroom or living/sleeping room for each two persons.

### **Thermal Environment**

The unit must have a safe system for heating the dwelling unit. Air conditioning is not required but if provided must be in proper operating condition. The dwelling unit must not contain unvented room heaters that burn gas, oil, or kerosene. Portable electric room heaters or kitchen stoves with built-in heating units are not acceptable as a primary source of heat for units located in climatic areas where permanent heat systems are required.

### **Illumination and Electricity**

Each room must have adequate natural or artificial illumination to permit normal indoor activities and to support the health and safety of occupants. The dwelling unit must have sufficient electrical sources, so occupants can use essential electrical appliances. Minimum standards are set for different types of rooms. Once the minimum standards are met, the number, type and location of electrical sources are a matter of tenant preference.

### **Structure and Materials**

The dwelling unit must be structurally sound. Handrails are required when four or more steps (risers) are present, and protective railings are required when porches, balconies, and stoops are thirty inches or more off the ground. The elevator servicing the unit must be working [if there is one]. Manufactured homes must have proper tie-down devices capable of surviving wind loads common to the area.

### **Interior Air Quality**

The dwelling unit must be free of air pollutant levels that threaten the occupants' health. There must be adequate air circulation in the dwelling unit. Bathroom areas must have one openable window or other adequate ventilation. Any sleeping room must have at least one window. If a window was designed to be opened, it must be in proper working order.

### **Water Supply**

The dwelling unit must be served by an approved public or private water supply that is sanitary and free from contamination. Plumbing fixtures and pipes must be free of leaks and threats to health and safety.

### **Lead-Based Paint**

Lead-based paint requirements apply to dwelling units built prior to 1978 that are occupied or can be occupied by families with children under six years of age, excluding zero-bedroom dwellings. Owners must:

- Disclose known lead-based paint hazards to prospective tenants before the lease is signed,
- provide all prospective families with "Protect Your Family from Lead in Your Home",
- Stabilize deteriorated painted surfaces and conduct hazard reduction activities within 30 days when identified by the PHA
- Notify tenants each time such an activity is performed
- Conduct all work in accordance with HUD safe practices
- As part of ongoing maintenance ask each family to report deteriorated paint
- Maintain covered housing without deteriorated paint if there is child under six in the family

Formatted: Font: 12 pt, Font color: Text 1

Formatted: Font: 12 pt, Font color: Text 1

For units occupied by elevated blood lead level (lead poisoned) children under six years of age, an environmental investigation must be conducted (paid for by the PHA). If lead hazards are identified during the environmental investigation, the owner must complete hazard reduction activities within 30 days.

See HCV GB p. 10-15 for a detailed description of these requirements. For additional information on lead-based paint requirements see 24 CFR 35, Subparts A, B, M, and R.

### **Access**

Use and maintenance of the unit must be possible without unauthorized use of other private properties. The building must provide an alternate means of exit in case of fire.

### **Site and Neighborhood**

The site and neighborhood must be reasonably free from disturbing noises and reverberations, excessive trash or vermin, or other dangers to the health, safety, and general welfare of the occupants.

**Sanitary Condition**

The dwelling unit and its equipment must be in sanitary condition and free of vermin and rodent infestation. The unit must have adequate barriers to prevent infestation.

**Smoke Detectors**

Smoke detectors must be installed in accordance with and meet the requirements of the National Fire Protection Association Standard (NFPA) 74 (or its successor standards). If the dwelling unit is occupied by any person with a hearing impairment, smoke detectors must have an appropriate alarm system as specified in NFPA 74 (or successor standards).

**Hazards and Health/Safety**

The unit, interior and exterior common areas accessible to the family, the site, and the surrounding neighborhood must be free of hazards to the family's health and safety.



## EXHIBIT 8-2: SUMMARY OF TENANT PREFERENCE AREAS RELATED TO HOUSING QUALITY

Note: This document provides an overview of unit and site characteristics and conditions for which the family determines acceptability. For more detailed information see the following documents:

- Housing Choice Voucher Guidebook, Chapter 10.
- HUD Housing Inspection Manual for Section 8 Housing
- HUD Inspection Form, form HUD-52580 (3/01) and Inspection Checklist, form HUD-52580-A (9/00)

Provided the minimum housing quality standards have been met, HUD permits the family to determine whether the unit is acceptable with regard to the following characteristics.

- *Sanitary Facilities.* The family may determine the adequacy of the cosmetic condition and quality of the sanitary facilities, including the size of the lavatory, tub, or shower; the location of the sanitary facilities within the unit; and the adequacy of the water heater.
- *Food Preparation and Refuse Disposal.* The family selects size and type of equipment it finds acceptable. When the family is responsible for supplying cooking appliances, the family may choose to use a microwave oven in place of a conventional oven, stove, or range. When the owner is responsible for providing cooking appliances, the owner may offer a microwave oven in place of an oven, stove, or range only if other subsidized and unsubsidized units on the premises are furnished with microwave ovens only. The adequacy of the amount and type of storage space, the cosmetic conditions of all equipment, and the size and location of the kitchen are all determined by the family.
- *Space and Security.* The family may determine the adequacy of room sizes and room locations. The family is also responsible for deciding the acceptability of the type of door and window locks.
- *Energy conservation items.* The family may determine whether the amount of insulation, presence of absence of storm doors and windows and other energy conservation items are acceptable.
- *Illumination and Electricity.* The family may determine whether the location and the number of outlets and fixtures (over and above those required to meet HQS standards) are acceptable or if the amount of electrical service is adequate for the use of appliances, computers, or stereo equipment.

- (6) *Structure and Materials*. Families may determine whether minor defects, such as lack of paint, or worn flooring or carpeting will affect the livability of the unit.
- (7) *Indoor Air*. Families may determine whether window and door screens, filters, fans, or other devices for proper ventilation are adequate to meet the family's needs. However, if screens are present they must be in good condition.
- (8) *Sanitary Conditions*. The family determines whether the sanitary conditions in the unit, including minor infestations, are acceptable.
- (9) *Neighborhood conditions*. Families may determine whether neighborhood conditions such as the presence of drug activity, commercial enterprises, and convenience to shopping will affect the livability of the unit.