## Sec. 13-205 Dimensional Requirements.

- 1. Lots and structures in all Districts shall meet or exceed the dimensional requirements listed below.
- 2. Height requirements do not apply to barns, barn silos, flagpoles, chimneys, transmission towers, steeples, windmills, cooling towers, elevator bulkheads, sky lights, ventilators, and other necessary appurtenances carried above roofs; nor towers, stacks, spires, if not used for human occupancy; nor to ornamental towers, observatory towers, television and radio broadcasting towers and antennas and similar structures that do not occupy more than twenty-five (25) percent of the lot area; nor to churches and public institutional buildings; nor similar structures, usually erected at a greater height than the principal building, however such accessory structures or appurtenances require a lot line setback distance of no less than its height.
- 3. No yard or lot existing at the time of passage of this Ordinance shall be reduced in dimension or area below the minimum requirement, herein. Yards or lots created after the effective date of this Ordinance shall meet or at least the minimum requirements, herein.
- 4. No part of a yard, or other open space, or off-street parking or loading space required about in connection with any building for the purpose of complying with this Ordinance, shall be included as part of a yard, open space, or off-street parking or loading space similarly required for any other building.
- 5. The front yard setback requirements of this Ordinance for dwellings shall not apply to any lot where the average setback on developed lots located wholly or in part within 100 feet on each side of such lot and within the same block and zoning District and fronting on the same street as such lot, is less than the minimum setback required. In such cases the front yard setback on such lot may be less than the reduced setback, but not less than the average of the existing setbacks on the developed lots.
- 6. Dimensional requirements for mobile home park lots are in Sec. 13-408, "Mobile Homes".
- Minimum set back requirements for all Principal and Accessory structures shall be in compliance with Table 13-205-A. Residential R-1 & R-2 zones shall require that structure height be limited to a 3/1 three to one ratio from the side and rear setbacks. Minimum side set back shall be 5' (five feet) and minimum rear setback shall be 10' (ten feet) in the R-1 & R-2 zones.
- 8. Non conforming Lots of Record, recorded prior to May 1980, in the Residential R-3 & R-4 zones, consisting of less than one acre (43,560 square feet) shall comply with the dimensional requirements of the R-1 & R-2 zones.
- 9. Definitions

<u>Lot</u>: A parcel of land occupied or capable of being occupied by one building and the accessory buildings or uses customarily incidental to it, including such open spaces as are required by an ordinance, and having frontage upon a public street, right-of-way, or private way.

Lot Area: The land area enclosed within the boundary lines of the lot, not including the area of any land which is: part of a right-of-way for a thoroughfare or easement, such as, but not limited to, surface drainage easements or traveled rights-of-way (but not including any utility easement servicing that lot); or the land below the normal high-water line of a water body; or upland edge of a wetland; or which is a forested or freshwater wetland.

Lot, Corner: A lot with at least two (2) contiguous sides abutting upon a street or right of way.

Lot, Coverage: The percentage of the lot covered by all buildings.

Lot, Interior: Any lot other than a corner lot.

Lot Lines: The lines bounding a lot as defined below:

<u>Front Lot Line</u>: On an interior lot, the lot line abutting the street or right-of-way; or, on a corner lot each lot line abutting the street or right-of-way; or, on a through lot, the lot line abutting the street providing primary access to the lot; or, on a flag lot, the interior lot line most parallel to and nearest the street from which access is obtained.

<u>Rear Lot Line</u>: The lot line opposite the front lot line. On a lot pointed at the rear, the rear lot line shall be an imaginary line between the side lot lines parallel to the front lot line, not less than ten (10) feet long, lying farthest from the front lot line. On a corner lot, the rear lot line shall be opposite the front lot line of least dimension.

Side Lot Line: Any lot line other than the front lot line or rear lot line.

Lot, Minimum Area: The required area within a District for a single lot or use.

Lot of Record: A parcel of land, a legal description of which or the dimensions of which are recorded on a document or map on file in the Aroostook County Registry of Deeds.

<u>Structure</u>: Anything built for the support, shelter, or enclosure of persons, animals, goods, or property of any kind, together with anything constructed or erected with a fixed location on or in the ground, exclusive of fences. The term includes structures temporarily or permanently located, such as decks and satellite receiving dishes, but in land areas outside of shoreland areas, signs, sidewalks, patios, driveways, and parking lots are not defined as structures.

Historical Note: Section 13-205 was amended March 10, 2008.